

REVE FILL

TILE JOINT FILLER



Reve Fil is a polymer modified, cement-based, single pack tile grouting mixture composed of selected aggregates and pigments.

PACKAGING



PRODUCT CHARACTERISTICS

PROPERTIES	SPECIFICATIONS
Appearance	Lump free powder
Open time	15 - 20 minutes
Tapped density	1.60 – 1.80
Pot Life	30 minutes

USES

Grouting all varieties - from ceramic tiles, marbles, natural stones to artificial stones
| Bathrooms, swimming pools, kitchens.

BENEFITS

Ready to use, needs only mixing of water
| Available in standard shades
| Non shrinking & crack-free | Flexible
| Waterproofing | Application up to joint width of 5mm | Colour does not fade over time.

SHELF LIFE & STORAGE

Best before 12 months in an unopened, undamaged, originally sealed packing and if stored in dry conditions
| Protect from direct sunlight.

RECOMMENDED DOSAGE

500 ml water per kg of Reve Fill powder.

COVERAGE

40 sq.ft / kg for 15 mm x 15 mm tile in 3 mm thickness.

DIRECTIONS OF USE

Before application, ensure that the tiles are completely set and adhesive is cured
| Tile joints should be clean and free from oil, grease, or any foreign matters | Add 2 parts of Reve Fil powder to 1 part of clean water and mix thoroughly without lumps
| Dampen the tile joints and apply the mixed material without any air gaps
| Apply the material within 30 minutes of mixing | Remove the excess material with wet sponge or soft cloth without disturbing the area on which it has been applied | Allow the joint to cure for 24-hours.

NOTE

Grouting should not be done for at least 24 hours after tile fixing | When 2 or more bags are required, it is advisable to dry blend the powders first to avoid color variation.

HEALTH & SAFETY PRECAUTIONS

Use rubber hand gloves & safety goggles
| In case of contact with skin, wash with plenty of water
| Keep out of reach of children.

CLEANING OF TOOLS

Clean all tools and application equipments with water immediately after use. Cured material can be removed mechanically.